

## HOSPITAL SERVICES PRODUCT LISTING

### Red Blood Cells, Leukocytes Reduced

- Storage Requirement: 1 – 6°C
- Expiration: 42 days from date of collection
- Irradiated Unit Expiration: Original expiration or 28 days from date of irradiation, whichever is sooner.

	ORIGINAL PRODUCT		IRRADIATED PRODUCT	
<i>WHOLE BLOOD COLLECTION Product Codes</i>	E0336	RED BLOOD CELLS CPD>AS1/500mL/refg ResLeu:<5E6	E0332	RED BLOOD CELLS CPD>AS1/500mL/refg Irradiated ResLeu:<5E6
<i>APHERESIS COLLECTION Product Codes</i>	E4543	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg ResLeu:<5E6	E4538	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg Irradiated ResLeu:<5E6
	E4544	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg ResLeu:<5E6 1st container	E4539	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg Irradiated ResLeu:<5E6 1st container
	E4545	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg ResLeu:<5E6 2nd container	E4540	Apheresis RED BLOOD CELLS ACD- A>AS3/XX/refg Irradiated ResLeu:<5E6 2nd container
	E4531	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg ResLeu:<5E6	E4526	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg Irradiated ResLeu:<5E6
	E4532	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg ResLeu:<5E6 1st container	E4527	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg Irradiated ResLeu:<5E6 1st container
	E4533	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg ResLeu:<5E6 2nd container	E4528	Apheresis RED BLOOD CELLS ACD- A>AS1/XX/refg Irradiated ResLeu:<5E6 2nd container

## HOSPITAL SERVICES PRODUCT LISTING

### Apheresis Platelets, Leukocytes Reduced, Pathogen Reduced

- Storage Requirement: 20 – 24°C
- Expiration: 5 days from date of collection

#### PRODUCT CODES

<i>Product Codes</i> <i>Yield <math>\geq 3.0 \times 10^{11}</math></i>	E8331	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Psoralen-treated
	E8332	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Psoralen-treated
	E8333	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Psoralen-treated
<i>VARIABLE YIELD</i> <i>Product Codes</i> <i>Yield 2.5 – 2.9 x 10<sup>11</sup></i>	E8335	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Psoralen-treated
	E8971	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Psoralen-treated
	E8972	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Psoralen-treated

## HOSPITAL SERVICES PRODUCT LISTING

### Apheresis Platelets, Leukocytes Reduced, Large Volume Delayed Sampling (LVDS)

- Storage Requirement: 20 – 24°C
- Expiration: 7 days from date of collection

	ORIGINAL PRODUCT		IRRADIATED PRODUCT	
<i>Product Codes</i> <i>Yield <math>\geq 3.0 \times 10^{11}</math></i>	E5030	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 Bacterial monitoring	E5034	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 Bacterial monitoring
	E5031	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container Bacterial monitoring	E5035	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container Bacterial monitoring
	E5032	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container Bacterial monitoring	E5036	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container Bacterial monitoring
	E5033	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container Bacterial monitoring	E5037	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container Bacterial monitoring
<i>VARIABLE YIELD</i> <i>Product Codes</i> <i>Yield 2.5 – 2.9 x 10<sup>11</sup></i>	E5075	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 <3E11 plts Bacterial monitoring	E5073	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 <3E11 plts Bacterial monitoring
	E5370	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring	E5532	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 1st container <3E11 plts Bacterial monitoring
	E5371	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring	E5533	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 2nd container <3E11 plts Bacterial monitoring
	E5372	Apheresis PLATELETS ACD-A/XX/20-24C ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring	E5534	Apheresis PLATELETS ACD-A/XX/20-24C Irradiated ResLeu:<5E6 3rd container <3E11 plts Bacterial monitoring

## HOSPITAL SERVICES PRODUCT LISTING

### Cryoprecipitated AHF, Single Unit

- Frozen Storage Requirement: minus 18°C or colder
- Frozen Expiration: 12 months from date of collection
- Thawed product codes are provided for information. Gulf Coast Regional Blood Center does not provide thawed products.

#### FROZEN PRODUCT

#### THAWED PRODUCT

<i>Product Codes</i>	<b>FROZEN PRODUCT</b>	<b>THAWED PRODUCT</b>
E5165	CRYOPRECIPITATE None/XX/<=-18C	E3581 Thawed CRYOPRECIPITATE None/XX/rt

### Pre-storage Pooled Cryoprecipitated AHF

- Pool of five individual units, frozen after pooling in a closed system
- Frozen Storage Requirement: minus 18°C or colder
- Frozen Expiration: 12 months from the earliest collection date in the pool
- Thawed product codes are provided for information. Gulf Coast Regional Blood Center does not provide thawed products.

#### FROZEN PRODUCT

#### THAWED PRODUCT

<i>Product Codes</i>	<b>FROZEN PRODUCT</b>	<b>THAWED PRODUCT</b>
E5621	POOLED CRYOPRECIPITATE None/XX/<=-18C 5 units	E6552 Thawed POOLED CRYOPRECIPITATE None/XX/rt 5 units

## HOSPITAL SERVICES PRODUCT LISTING

### Plasma from Whole Blood Collection

- Frozen Storage Requirement:       minus 18°C or colder
- Frozen Expiration:                   12 months from date of collection
- Volume Range:                        ≥ 180 mL
- Thawed product codes are provided for information. Gulf Coast Regional Blood Center does not provide thawed products.

FROZEN PRODUCT			THAWED PRODUCT	
<i>Fresh Frozen Plasma (FFP)</i>	E0701	FRESH FROZEN PLASMA CPD/XX/<=-18C	E0773	Thawed FRESH FROZEN PLASMA CPD/XX/refg
<i>Plasma Frozen Within 24 hours After Phlebotomy (PF24)</i>	E2555	PLASMA CPD/XX/<=-18C Frozen <=24h	E2684	Thawed PLASMA CPD/XX/refg

## HOSPITAL SERVICES PRODUCT LISTING

### Plasma from Apheresis Collection

- Frozen Storage Requirement: minus 18°C or colder
- Frozen Expiration: 12 months from date of collection
- Thawed product codes are provided for information. Gulf Coast Regional Blood Center does not provide thawed products.

	FROZEN PRODUCT		THAWED PRODUCT	
<i>Product Codes</i> <i>“Jumbo” Plasma</i> <i>Volume ≥ 400 mL</i>	E0869	Apheresis FRESH FROZEN PLASMA ACD-A/XX/<=-18C	E1236	Thawed Apheresis FRESH FROZEN PLASMA ACD-A/XX/refg
	E1624	Apheresis PLASMA ACD-A/XX/<=-18C Frozen <=24h	E2121	Thawed Apheresis PLASMA ACD-A/XX/refg
<i>Product Codes</i> <i>Volume ≥ 200 mL</i>	E7637	Apheresis PLASMA ACD-A/XX/<=-18C Frozen <=24h 1st container	E5548	Thawed Apheresis PLASMA ACD-A/XX/refg 1st container
	E7639	Apheresis PLASMA ACD-A/XX/<=-18C Frozen <=24h 2nd container	E5549	Thawed Apheresis PLASMA ACD-A/XX/refg 2nd container
	E7641	Apheresis PLASMA ACD-A/XX/<=-18C Frozen <=24h 3rd container	E5550	Thawed Apheresis PLASMA ACD-A/XX/refg 3rd container
	E7643	Apheresis PLASMA ACD-A/XX/<=-18C Frozen <=24h 4th container	E6393	Thawed Apheresis PLASMA ACD-A/XX/refg 4th container

## HOSPITAL SERVICES PRODUCT LISTING

### Liquid Plasma

- By Special Order: 48-hour advance noticed required
- Storage Requirement: 1 – 6°C
- Expiration: 26 days from date of collection

#### PRODUCT CODES

<i>Product Codes</i>	E2457	Liquid PLASMA CPD/XX/refg
	E8740	Liquid Apheresis PLASMA ACD-A/XX/refg 1st container
	E8741	Liquid Apheresis PLASMA ACD-A/XX/refg 2nd container
	E8742	Liquid Apheresis PLASMA ACD-A/XX/refg 3rd container
	E8743	Liquid Apheresis PLASMA ACD-A/XX/refg 4th container

### Low Titer Type O Whole Blood, Non-Leukocyte Reduced

- By Special Order: 48-hour advance noticed required
- Storage Requirement: 1 – 6°C
- Expiration: 21 days from date of collection

#### PRODUCT CODE

<i>Product Codes</i>	E0023	WHOLE BLOOD CPD/500mL/refg
----------------------	-------	----------------------------

## HOSPITAL SERVICES PRODUCT LISTING

### Pathogen Reduced Cryoprecipitated Fibrinogen Complex

- INTERCEPT® Fibrinogen Complex is prepared from the INTERCEPT® Blood System for Cryoprecipitation

	PRODUCT CODES		VOLUME	ABBREVIATION
<i>Product Codes</i>	EA489	POOLED FIBRINOGEN COMPLEX None/XX/<=-18C Cryoprecipitated Psoralen-treated From 2 donors	60 – 100 mL	IFC 10
	EA490	POOLED FIBRINOGEN COMPLEX None/XX/<=-18C Cryoprecipitated Psoralen-treated From 4 donors	120 – 200 mL	IFC 15
	EA491	POOLED FIBRINOGEN COMPLEX None/XX/<=-18C Cryoprecipitated Psoralen-treated From 6 donors	180 – 300 mL	IFC 20